Land Survey Monument Record Rev. Feb. 2026



1) ☐ Land Corner Restoration

☐ Land Corner Establishment

☐ Other: _____

2) Description of corner evidence found or a concise statement of the method used to re-establish the corner:

_____

_____

_____

_____

3) Description of monument and accessories established to perpetuate the location of the monument.

_____

_____

_____

_____

4) A sketch showing the relative location of monument and reference points or a sketch showing the monuments used and the measurements made to determine the position of the monument being established. (Attach additional sheets if necessary)

Date of field work _____

Surveyor's Certificate and Stamp

5) I, _____, registration No. _____ do hereby certify that I was in responsible charge of the surveying work described in this record and that to the best of my knowledge the information presented herein is true and correct. Date_____

Corner Description

6) Corner Description:_____

_____,

Subdivision _____, Block/ Tract _____, Lot _____

Recorder's No.: _____, _____ Recording District.

Section _____, Township _____, Range _____

_____ Meridian, Alaska. Date Filed _____

If unsurveyed, include protracted section number.


7) _____
Recording District

(DO NOT FILL IN)

8) Section _____

● = Location of Monument

1" = 1 Mile



Index Ref. No. _____--_____

9)*(Optional)* These coordinates are for locational purposes only and are **NOT** intended to be used to establish or reestablish corner positions or for boundary surveys.

Latitude_____ Longitude_____

Datum_____ Relative Positional Accuracy_____

Methodology_____

_____

10) Return to: _____


_____

_____

_____

ALASKA LAND SURVEY MONUMENTS MASTER INDEX

TOWNSHIP_____, RANGE_____, _____M.



NORTH

SCALE
1" = 1 Mile

LEGEND

● Location of Monument. Record filed under this Township.

EXPLANATION

Each monument record is identified by a numerical-alphabetical index or coordinate number which is related to the township diagram above. For example, the quarter corner common to sections 4 and 5 would have the coordinate number 9-X. See item 8 on monument record.

Monuments which are not located at the intersecting lines on the above diagram are identified by reference to the nearest decimal division of the spaces, with the decimal values increasing to the right and upward; e.g. 1.7-C, 8-M.3, 6.2-T.5.

A monument which is common to adjoining townships will be identified by the coordinates in the township in which the record is to be filed, except in the case where a Borough boundary coincides with a township line, in which case an appropriate coordinate number shall be used for each Borough involved.

Within each township file, the records shall be inserted in numerical-alphabetical order from top to bottom.

NOTICE

There may be more than one record for a monument. DO NOT REMOVE OLD RECORD when filing new one.

(rev. 02/06)